

To

M/s Elcon Associates,
Faisalabad. (Mob: 0320-7775545)

No. _____/DD (P&D)/WASA/2018

Dated: _____/2018.

Subject: **REPAIR AND COVERING OF 4.25 KM STORM WATER CHANNELS FROM JOHAR COLONY TO SHEIKHUPURA ROAD SIZE 4X4.5, NASEERABAD TO SULAMANIA COLONY GRAVEYARD, SIZE 12.5X6.5, BAGHDADI CHOWK TO FORCE MAIN ELAHIABAD SIZE 5X5.5**

This is to notify you that your bid dated 21-02-2018 for execution of the subjected work for the Contract Price of Rs.16,27,81,692/- Sixteen Crore Twenty Seven Lac Eighty One Thousand Six Hundred Ninety Two Rupees Only (as corrected and modified in accordance with the Instructions to Bidders) is hereby accepted by our Agency. The time limit for the completion of work is (110 Days) which will be reckoned from the date of issuance of this letter subject to strict financial regularities and other codal formalities.

Accepted rates are as under: -

S. No.	MRS Rates	Description	Unit	Qty	Rate (Rs.)
1	C-3/7	<u>Construction of Storm Water Channel:</u> <u>Brick Channel Section 11.50' x 7.75' (Covered)</u> Earthwork excavation in open cutting upto 5.01 ft. (1.5 m) depth for storm water channels, drains, sullage drains in open areas, roads, streets, lanes, including under pinning of walls and shoring to protect existing works, shuttering and timbering the trenches, dressed to designed level and dimensions, trimming, removal of surface water from trenches, back filling and surplus excavated material disposed of and dressed within 100 ft. (30 m) lead.	1000 Cft	509162.50	4651.20
2	C-3/8	Earthwork excavation in open cutting upto 5.01 ft. (1.5 m) to 10.0 ft. (3.0 m) depth for storm water channels, drains, sullage drains in open areas, roads, streets, lanes, including under pinning of walls and shoring to protect existing works, shuttering and timbering the trenches, dressed to designed level and dimensions, trimming, removal of surface water from trenches, back filling and surplus excavated material disposed of and dressed within 100 ft. (30 m) lead.	1000 Cft	356413.75	5329.50
3	C-3/17	Transportation of earth all types when the total distance, including the lead covered in the item of work, is more than 1000ft. (300 m). Lead upto 2 km	1000 Cft	356413.75	2907.00
4	C-6/5	Cement concrete plain including, placing, compacting, finishing and curing complete (including screening and washing of stone aggregate. (I) P.C.C. 1:4:8 (II) P.C.C. 1:2:4	100 Cft 100 Cft	42981.25 33393.13	17863.52 22383.90
5	C-7/7	Pacca brick work other than building upto 10 ft. height in (1:3) cement sand mortar.	100 Cft	112081.88	19961.40

S. No.	MRS Rates	Description	Unit		Qty	Rate (Rs.)
6	C-11/8	Cement plaster "1/2 thick (1:3) cement sand mortar upto 20' height.	100	Sft.	81995.00	1947.69
7	C-6/6	Providing and laying reinforced cement concrete (including prestressed concrete), using coarse sand and screened graded and washed aggregate, in required shape and design, including forms, moulds, shuttering, lifting, compacting, curing, rendering and finishing exposed surface, complete (but excluding the cost of steel reinforcement, its fabrication and placing in position, etc.). Slab 1:2:4	Per	Cft	54553.13	363.38
8	C-6/9	Fabrication of mild steel reinforcement for cement concrete, including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars).	100	Kg	218212.50	11821.80
<u>Brick Channel Section 11.50' x 7.75' (Street culverts)</u>						
1	C-3/7	Earthwork excavation in open cutting upto 5.01 ft. (1.5 m) depth for storm water channels, drains, sullage drains in open areas, roads, streets, lanes, including under pinning of walls and shoring to protect existing works, shuttering and timbering the trenches, dressed to designed level and dimensions, trimming, removal of surface water from trenches, back filling and surplus excavated material disposed of and dressed within 100 ft. (30 m) lead.	1000	Cft	10627.50	4651.20
2	C-3/8	Earthwork excavation in open cutting upto 5.01 ft. (1.5 m) to 10.0 ft. (3.0 m) depth for storm water channels, drains, sullage drains in open areas, roads, streets, lanes, including under pinning of walls and shoring to protect existing works, shuttering and timbering the trenches, dressed to designed level and dimensions, trimming, removal of surface water from trenches, back filling and surplus excavated material disposed of and dressed within 100 ft. (30 m) lead. 5.01 to 10'	1000	Cft	2125.50	5329.50
3	C-3/17	Transportation of earth all types when the total distance, including the lead covered in the item of work, is more than 1000ft. (300 m). Lead upto 2 km	1000	Cft	6907.88	2907.00
4	C-6/5	Cement concrete plain including, placing, compacting, finishing and curing complete (including screening and washing of stone aggregate). (I) P.C.C. 1:4:8 (II) P.C.C. 1:2:4	100 100	Cft Cft	1204.45 749.38	17863.52 22383.90
5	C-7/7	Pacca brick work other than building upto 10 ft. height in (1:3) cement sand mortar.	100	Cft	2616.00	19961.40
6	C-11/8	Cement plaster "1/2 thick (1:3) cement sand mortar upto 20' height.	100	Sft.	1689.50	1947.69
7	C-6/6	Providing and laying reinforced cement concrete (including prestressed concrete), using coarse sand and screened graded and washed aggregate, in required shape and design, including forms, moulds, shuttering, lifting, compacting, curing, rendering and finishing exposed surface, complete (but excluding the cost of steel reinforcement, its fabrication and placing in position, etc.). Slab 1:2:4	Per	Cft	1957.75	363.38

S. No.	MRS Rates	Description	Unit	Qty	Rate (Rs.)
8	C-6/9	Fabrication of mild steel reinforcement for cement concrete, including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars).	100 Kg	8809.82	11821.80
<u>Brick Channel Section 11.50' x 7.75' (Road culverts)</u>					
1	C-3/7	Earthwork excavation in open cutting upto 5.01 ft. (1.5 m) depth for storm water channels, drains, sullage drains in open areas, roads, streets, lanes, including under pinning of walls and shoring to protect existing works, shuttering and timbering the trenches, dressed to designed level and dimensions, trimming, removal of surface waer from trenches, back filing and surplus excavated material disposed of and dressed within 100 ft. (30 m) lead.	1000 Cft	7800.00	4651.20
2	C-3/8	Earthwork excavation in open cutting upto 5.01 ft. (1.5 m) to 10.0 ft. (3.0 mm) depth for storm water channels, drains, sullage drains in open areas, roads, streets, lanes, including under pinning of walls and shoring to protect existing works, shuttering and timbering the trenches, dressed to designed level and dimensions, trimming, removal of surface waer from trenches, back filing and surplus excavated material disposed of and dressed within 100 ft. (30 m) lead. 5.01 to 10'	1000 Cft	1950.00	5329.50
3	C-3/17	Transportation of earth all types when the total distance, including the lead covered in the item of work, is more than 1000ft. (300 m). Lead upto 2 km	1000 Cft	6337.49	2907.00
4	C-6/5	Cement concrete plain including, placing, compacting, finishing and curing complete (including screening and washing of stone aggregate. (I) P.C.C. 1:4:8 (II) P.C.C. 1:2:4	100 Cft 100 Cft	1020.00 550.00	17863.52 22383.90
5	C-7/7	Pacca brick work other than building upto 10 ft. height in (1:3) cement sand mortar.	100 Cft	2370.00	19961.40
6	C-11/8	Cement plaster "1/2 thick (1:3) cement sand mortar upto 20' height.	100 Sft.	826.67	1947.69
7	C-6/6	Providing and laying reinforced cement concrete (including prestressed concrete), using coarse sand and screened graded and washed aggregate, in required shape and design, including forms, moulds, shuttering, lifting, compacting, curing, rendering and finishing exposed surface, complete (but excluding the cost of steel reinforcement, its fabrication and placing in position, etc.). Slab 1:2:4	Per Cft	1416.24	363.38
8	C-6/9	Fabrication of mild steel reinforcement for cement concrete, including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars).	100 Kg	7081.25	11821.80

S. No.	MRS Rates	Description	Unit	Qty	Rate (Rs.)
1	C-3/7	Brick Channel Section 5.25' x 6' (culvert) Earthwork excavation in open cutting upto 5.01 ft. (1.5 m) depth for storm water channels, drains, sullage drains open areas, roads, streets, lanes, including under pinning of walls and shoring to protect existing works, shuttering and timbering the trenches, dressed to designed level and dimensions, trimming, removal of surface water from trenches, back filling and surplus excavated material disposed of and dressed within 100 ft. (30 m) lead.	1000 Cft	118250.00	4651.20
2	C-3/8	Earthwork excavation in open cutting upto 5.01 ft. (1.5 m) to 10.0 ft. (3.0 mm) depth for storm water channels, drains, sullage drains open areas, roads, streets, lanes, including under pinning of walls and shoring to protect existing works, shuttering and timbering the trenches, dressed to designed level and dimensions, trimming, removal of surface water from trenches, back filling and surplus excavated material disposed of and dressed within 100 ft. (30 m) lead.	1000 Cft	53212.50	5329.50
3	C-3/17	Transportation of earth all types when the total distance, including the lead covered in the item of work, is more than 1000ft. (300 m). Lead upto 2 km	1000 Cft	171462.50	2907.00
4	C-6/5	Cement concrete plain including, placing, compacting, finishing and curing complete (including screening and washing of stone aggregate. (I) P.C.C. 1:4:8 (II) P.C.C. 1:2:4	100 Cft 100 Cft	11825.00 6286.50	17863.52 22383.90
5	C-7/7	Pacca brick work other than building upto 10 ft. height in (1:3) cement sand mortar.	100 Cft	42075.00	19961.40
6	C-11/8	Cement plaster "1/2 thick (1:3) cement sand mortar upto 20' height.	100 Sft.	27500.00	1947.69
7	C-6/6	Providing and laying reinforced cement concrete (including prestressed concrete), using coarse sand and screened graded and washed aggregate, in required shape and design, including forms, moulds, shuttering, lifting, compacting, curing, rendering and finishing exposed surface, complete (but excluding the cost of steel reinforcement, its fabrication and placing in position, etc.). Slab 1:2:4	Per Cft	14136.10	363.38
8	C-6/9	Fabrication of mild steel reinforcement for cement concrete, including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars).	100 Kg	63610.80	11821.80
1	C-3/7	Brick Channel Section 4'x5' (Covered) Earthwork excavation in open cutting upto 5.01 ft. (1.5 m) to 10.0 ft. (3.0 mm) depth for storm water channels, drains, sullage drains open areas, roads, streets, lanes, including under pinning of walls and shoring to protect existing works, shuttering and timbering the trenches, dressed to designed level and dimensions, trimming, removal of surface water from trenches, back filling and surplus excavated material disposed of and dressed within 100 ft. (30 m) lead.	1000 Cft	337225.00	4651.20

S. No.	MRS Rates	Description	Unit	Qty	Rate (Rs.)
2	C-3/17	Transportation of earth all types when the total distance, including the lead covered in the item of work, is more than 1000ft. (300 m). Lead upto 2 km	1000 Cft	236057.50	2907.00
3	C-6/5	Cement concrete plain including, placing, compacting, finishing and curing complete (including screening and washing of stone aggregate). (I) P.C.C. 1:4:8 (II) P.C.C. 1:2:4	100 Cft 100 Cft	25112.50 10805.55	17863.52 22383.90
4	C-7/7	Pacca brick work other than building upto 10 ft. height in (1:3) cement sand mortar.	100 Cft	88252.50	19961.40
5	C-11/8	Cement plaster "1/2 thick (1:3) cement sand mortar upto 20' height.	100 Sft.	57400.00	1947.69
6	C-6/6	Providing and laying reinforced cement concrete (including prestressed concrete), using coarse sand and screened graded and washed aggregate, in required shape and design, including forms, moulds, shuttering, lifting, compacting, curing, rendering and finishing exposed surface, complete (but excluding the cost of steel reinforcement, its fabrication and placing in position, etc.). Slab 1:2:4	Per Cft	17937.50	363.38
7	C-6/9	Fabrication of mild steel reinforcement for cement concrete, including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars).	100 Kg	44843.75	11821.80
<u>Brick Channel Section 4'x 5' (Street culverts)</u>					
1	C-3/7	Earthwork excavation in open cutting upto 5.01 ft. (1.5 m) depth for storm water channels, drains, sullage drains in open areas, roads, streets, lanes, including under pinning of walls and shoring to protect existing works, shuttering and timbering the trenches, dressed to designed level and dimensions, trimming, removal of surface water from trenches, back filling and surplus excavated material disposed of and dressed within 100 ft. (30 m) lead.	1000 Cft	5287.50	4651.20
2	C-3/17	Transportation of earth all types when the total distance, including the lead covered in the item of work, is more than 1000ft. (300 m). Lead upto 2 km	1000 Cft	3436.88	2907.00
3	C-6/5	Cement concrete plain including, placing, compacting, finishing and curing complete (including screening and washing of stone aggregate). (I) P.C.C. 1:4:8 (II) P.C.C. 1:2:4	100 Cft 100 Cft	427.50 220.05	17863.52 22383.90
4	C-7/7	Pacca brick work other than building upto 10 ft. height in (1:3) cement sand mortar.	100 Cft	1350.00	19961.40
5	C-11/8	Cement plaster "1/2 thick (1:3) cement sand mortar upto 20' height.	100 Sft.	900.00	1947.69

S. No.	MRS Rates	Description	Unit	Qty	Rate (Rs.)
6	C-6/6	Providing and laying reinforced cement concrete (including prestressed concrete), using coarse sand and screened graded and washed aggregate, in required shape and design, including forms, moulds, shuttering, lifting, compacting, curing, rendering and finishing exposed surface complete (but excluding the cost of steel reinforcement, its fabrication and placing in position, etc.). Slab 1:2:4	Per Cft	376.88	363.38
7	C-6/9	Fabrication of mild steel reinforcement for cement concrete, including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars).	100 Kg	1130.63	11821.80
1	C-3/7	Brick Channel Section 4'x5' (Road culverts) Earthwork excavation in open cutting upto 5.01 ft. (1.5 m) depth for storm water channels, drains, sillage drains in open areas, roads, streets, lanes, including under pinning of walls and shoring to protect existing works, shuttering and timbering the trenches, dressed to designed level and dimensions, trimming, removal of surface water from trenches, back filling and surplus excavated material disposed of and dressed within 100 ft. (30 m) lead.	1000 Cft	4900.00	4651.20
2	C-3/17	Transportation of earth all types when the total distance, including the lead covered in the item of work, is more than 1000ft. (300 m). Lead upto 2 km	1000 Cft	3185.01	2907.00
3	C-6/5	Cement concrete plain including, placing, compacting, finishing and curing complete (including screening and washing of stone aggregate). (I) P.C.C. 1:4:8 (II) P.C.C. 1:2:4	100 Cft 100 Cft	615.01 195.60	17863.52 22383.90
4	C-7/7	Pacca brick work other than building upto 10 ft. height in (1:3) cement sand mortar.	100 Cft	1290.00	19961.40
5	C-11/8	Cement plaster "1/2 thick (1:3) cement sand mortar upto 20' height.	100 St.	533.33	1947.69
6	C-6/6	Providing and laying reinforced cement concrete (including prestressed concrete), using coarse sand and screened graded and washed aggregate, in required shape and design, including forms, moulds, shuttering, lifting, compacting, curing, rendering and finishing exposed surface complete (but excluding the cost of steel reinforcement, its fabrication and placing in position, etc.). Slab 1:2:4	Per Cft	450.24	363.38
7	C-6/9	Fabrication of mild steel reinforcement for cement concrete, including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars).	100 Kg	1801.01	11821.80
8		ESMP Cost 1 drinking water analysis Waste Water sample analysis	- Job - Job	1 1	24225.00 24225.00

We accept that Mr. Khawaja Mehboob Ellahi retired Deputy Managing Director WASA, Faisalabad be appointed as the Adjudicator.

You are hereby instructed to proceed with the execution of the said Works in accordance with the Contract documents.

TERMS & CONDITIONS: -

1. All the work will be carried out strictly in accordance with PHE, B & R specification and to the entire satisfaction of the Controlling Officer, Engineer In-charge.
2. Director (DC-II) WASA, Deputy Director (DC-II) WASA will be the Controlling Officer, Engineer Incharge respectively for the purpose of this work.
3. You will furnish the following documents to the undersigned within (15) days from the receipt of this letter for the completion of Contract Agreement.
 - (a) General power of Attorney or special power of Attorney and original partnership deed duly attested from the 1st class Magistrate/Oath Commissioner. In case of sole proprietor, an affidavit duly attested by the 1st class Magistrate /Oath Commissioner.
 - (b) Detail construction schedule relating to the period of execution of work.
4. This letter will be deemed as Contract Agreement till the formal agreement is signed. All other terms and conditions / general conditions shall become effective from the date of receipt of this letter.
5. This letter of acceptance shall be an integral part of the contract agreement when signed.
6. Please attend the office of Deputy Director-I (P&D) WASA, to complete the contract agreement within (15) days from the issuance of this letter.
7. Finance Department Govt. of Punjab. Notification No. RO Tech FD,I-2/83(VI) dated: 29.03.2005, Notification No. RO Tech FD-I-2/83(VI)(P) dated: 06.04.2005 and Notification No. RO Tech FD,I-2/83(VI)(P) dated: 24.01.2006 & Notification No. RO Tech FD,I-2/2012 dated: 04.09.2012 is applicable on this work.
8. **Earnest Money** CDR No.0713562 amounting Rs.35,00,000/- issued date 20-02-2018 issued by The Bank Alfalah Limited Minerva Road Branch Faisalabad will be released by (P&D) to the contractor after production the copy of Running Bill passed by the Audit and work security amount will be greater than the Earnest Money Amount.

Deputy Director-I (P&D)
Water & Sanitation Agency,
FDA, Faisalabad.

Dated: 15-03 2018.

Endst. No. 614-623 /DD (P&D)/WASA/2018

A Copy to the: -

1. Managing Director WASA, FDA, Faisalabad.
2. Deputy Managing Director (Engineering) WASA, FDA, Faisalabad.
3. Deputy Managing Director (Services) WASA, FDA, Faisalabad.
4. Director (P&D) WASA, FDA, Faisalabad.
5. Director (Finance) WASA Faisalabad.
6. Director (DC-II) WASA, FDA, Faisalabad. (Work Executing Directorate). Copy of T.S Estimate, Drawings & Profile attached for execution of work.
7. Procurement Specialist City Program Unit DCO Office Faisalabad
8. Deputy Director-II (P&D) WASA, FDA, Faisalabad.
9. Deputy Director (QCD) WASA, FDA, Faisalabad.
10. Master File.


Deputy Director-I (P&D)
Water & Sanitation Agency,
FDA, Faisalabad.